

O'Reilly **Direct Access Anterior Broaching** Retractor

Page 16

Beicker **Hammerhead Rongeur**

Mueller-type Femoral Neck Elevator with Blunt Teeth

Page 5

Anterior Hip Instruments

1.800.548.2362 INNOMED.NET



Direct Anterior Approach Instrument Set

A General Use Set of Innomed Instruments for Direct Anterior Approach Total Hip Arthroplasty



Retractor Clip for Smoke Evacuation Tube

Designed by James Saucedo, MD


Repositionable stainless steel fastener designed to clip onto a retractor to help control the location of a smoke evacuation tube



Dimensions: 27 mm Long 18 mm Wide 16 mm Deep Allows for use on a 1/8" thick material with allowance for a "spring" fit.







Alvi Small Charnley Style Locking Frame Set

A self-retaining frame and retractor system designed for use during anterior total hip arthroplasty, the blades help retract the hip capsule and musculature, permitting an unobstructed view of the acetabulum while freeing an assistant

7425-00 [Set] Set Includes / Available individually **7425-01** [Locking Frame] Dimensions: 9" x 7" (22,9 cm x 17,8 cm)

7425-02 [2" Tapered Blade] Blade Depth: 2" (5,1 cm) Blade Width: 1" (2,54 cm) Handle Length: 7" (17,8 cm)

7425-03 [3" Tapered Blade]
Blade Depth: 3" (7,6 cm)
Blade Width: 1" (2,54 cm)
Handle Length: 7" (17,8 cm)

T425-04 [4" Tapered Blade]

Blade Depth: 4" (10,2 cm)

Blade Width: 1" (2,54 cm)

Handle Length: 7" (17,8 cm)

Optional Blades (Not included in Set):

7425-02-MOD [Winged Modified 2" Tapered Blade]

Blade Depth: 2" (5,1 cm) Blade Width: 1" (2,54 cm) Handle Length: 7" (17,8 cm)

7425-03-MOD [Winged Modified 3" Tapered Blade Blade Depth: 3" (7,6 cm)

Blade Width: 1" (2,54 cm)
Handle Length: 7" (17,8 cm)


7425-04-MOD [Winged Modified 4" Tapered Blade]

Blade Depth: 4" (10,2 cm) Blade Width: 1" (2,54 cm) Handle Length: 7" (17,8 cm)

Set includes one locking frame (7425-01) and one each of the three blade sizes: 2 (7425-02), 3" (7425-03), and 4" (7425-04). (Optional Winged Modified Tapered Blades not included in set.)







Optional Optional Winged Modified Winged Modified 2" Tapered Blade 3" Tapered Blade #7425-02-MOD #7425-03-MOD

Optional Winged Modified 4" Tapered Blade #7425-04-MOD





Features a tapered, winged blade for gentler soft tissue retraction {NOT INCLUDED IN SET} Design modified by Prof. Dr. med. Andrej M. Nowakowski

Bozeman Direct Anterior THA Femoral Elevator Designed by Daniel M. Gannon, MD

Designed to elevate the femur anteriorly, providing exposure to allow broaching of the femoral canal and final placement of the femoral component, during direct anterior approach THA

Helps to retract the TFL muscle out of the way, and provides surface area for the fulcrum effect, helping to reduce pressure on the muscle. Narrow designs helpful in minimally invasive surgery. The flared end joins the prongs to help maintain soft tissue retraction away from the broach teeth, while the two prong design helps placement lateral to the tip of the greater trochanter and elevates the femur.





6144 [Small] Overall Length: 11.5" (29,2 cm) Blade Neck Width: 26,1 mm Blade Flared End Width: 30,1 mm

6146 [Medium] Overall Length: 13.5" (34,3cm) Blade Neck Width: 29,8 mm Blade Flared End Width: 34,7 mm

6145 [Large] Overall Length: 15.5" (39,4 cm) Blade Neck Width: 33,6 mm Blade Flared End Width: 39,3 mm







Chandran Femoral Neck Retractor with Sharp Teeth

Designed by Rama Chandran, MD

Designed to grasp and expose the femoral neck, the teeth help prevent the retractor from slipping or shifting under downward pressure

PRODUCT NO: 6141

Overall Length: 14.25" (36,2 cm) Blade width at End: 1.25" (3,2 cm) Prong Length: 1" (2,54 cm)





Whelan Femoral Neck Elevator

Designed by Edward J. Whelan, III, MD


Elevator has long tines to rest on the stronger bone at the base of the neck and calcar, and also fits well over the lesser trochanter and iliopsoas tendon for femoral broaching

PRODUCT NO:

3414


Overall Length: 13.75" (34,9 cm) Depth from Bend: 1.5" (3,8 cm) Blade Width: 2,4 cm














Mueller-type Femoral Neck Elevator with Blunt Teeth

Designed to elevate the proximal femur, the additional blunt teeth on the end allow for better gripping

PRODUCT NO: 3415-01

Overall Length: 13.5" (34,3 cm) Handle Length: 6.75" (17,1 cm) Blade Width at Widest: 32 mm





Mueller-type Femoral Neck Elevators

Extra Deep modified by Tom Eickmann, MD

Designed to elevate the proximal femur

PRODUCT NO'S:

3415 [Standard] Overall Length: 13.5" (34,3 cm) Handle Length: 6.5" (16,5 cm) Blade Width at Widest: 25 mm

3418 [Extra Deep] Overall Length: 15.25" (38,8 cm) Handle Length: 6.5" (16,5 cm) Blade Width at Widest: 25 mm



Hur Modified Wide Mueller-type Femoral Neck Elevator

Wide blade design modification by John Hur, MD

Designed for the anterior approach to help expose the femoral calcar during broaching, the wide design helps to reduce stress on the proximal femur



3416

Overall Length: 13" (33 cm) Handle Length: 6.5" (16,5 cm) Blade Width at Widest: 1.25" (31,7 mm)



Basic Anterior Approach Instrument Set

A Basic Starter Set for the Direct Anterior Approach

Technique by Edward J. Whelan III, MD

6165-00 [Basic Anterior Approach Instrument Set] Set includes (2) #6162 and (1) of the other instruments shown below

Set Includes / Available Individually:

1576-B [Whelan Large Weitlaner Retractor – Blunt] Overall Length: 9" (22,9 cm) Blade Depth: 1" (2,54 cm)

1576-S [Whelan Large Weitlaner Retractor – Sharp] Overall Length: 9" (22,9 cm) Blade Depth: 1" (2,54 cm)

3414 [Whelan Femoral Neck Elevator] Overall Length: 13.75" (34,9 cm) Depth from Bend: 1.5" (3,8 cm) Blade Width: 2,4 cm

6162 [Modified Deep Hohmann Retractor] (2) included in set, (1) only with this product number Overall Length: 14.5" (36,9 cm)


7116 [Whelan Narrow Hohmann Retractor] Overall Length: 13.25" (33,7 cm) Depth from Bend: 4.5" (11,4 cm) Blade Width: 2,4 cm

6422 [Modified Anterior Hip Retractor – Wide Tip] Overall Length: 15.75" (40 cm) Blade Width: 1.15" (3 cm)



Whelan Large Anterior Hip Weitlaner Retractor with Ergonomic Handle

Designed for self-retaining exposure during anterior approach THA See page 18 for more information.



#6162

Modified Deep Hohmann Retractor

Can be placed inside the capsule to help expose femoral neck for release and removal Concave blade helps to expose the femoral canal in smaller patients if the offset of P/N 6422 is too large See page 12 for more information.

Modified Anterior Hip Retractor

Trochanteric Retractor helps to expose femoral canal and helps protect gluteal muscles See page 4 for more information.

#6422

Huddleston **Femoral Head** Removers

Blade Width: 25 mm

Designed by H. Dennis Huddleston, MD

Designed to help lever a femoral head out of the acetabulum in standard and anterior approach total hip replacement





Alvi Modified Hohmann Retractor

Designed for use during minimally invasive anterior hip replacement surgery. the retractor is placed through the capsule, into the femoral head, allowing for retraction of the rectus femoris

The extra bend in the handle allows the assistant to stand on the operative side of the table allowing for ease of handling of the retractor.

Anterior Watson Jones Total Hip Arthroplasty System

Instrument system specifically designed for Direct Anterior approach THR




PRODUCT NO'S:	7
6300-00 [Complete Set]	
Set Includes / Available Individually:	
6301-L [Awl – Left] Overall Length: 12.375" (31,5 cm)	0
6301-R [Awl – Right] Overall Length: 12.375" (31,5 cm)	2
6302-01 [Lighted Mueller Retractor] Blade Width: 27 mm Handle Length: 5.5" (14 cm) Overall Length: 12.75" (32,4 cm)	3
6303-01 [Lighted Wide Retractor] Blade Width: 40 mm Blade Tip Length: 17 mm Overall Length: 12.75" (32,4 cm)	4
6304-01 [Lighted Narrow Retractor] Blade Width: 26 mm Blade Tip Length: 23 mm Overall Length: 16.5" (41,9 cm)	6
6305 [90° Cobra Retractor] Blade at Widest: 37 mm Blade Depth: 7.5" (19,1 cm) Blade Prong: 18 mm Long X 10 mm Wide Overall Length: 12.5" (31,8 cm) Handle Length: 9.5" (24,1 cm)	6
6306 [Deep Hohmann Retractor] Blade Width: 17 mm Prong Length: 34 mm Overall Length: 9.25" (23,5 cm)	0
6307 [Straight Hohmann Retractor] Prong Length: 4,2 cm Overall Length: 9.5" (24,1 cm)	8
6308 [Femoral Starter Drill] Drill Tip Dimensions: 18 mm Long X 12 mm Diameter Overall Length: 6" (15,2 cm) Shaft Length: 5.25" (13,3 cm)	9
Optional Instrument (Not Included In Set):	4
6303 [Wide Retractor without Light] Blade Width: 40 mm Blade Tip Length: 17 mm Overall Length: 12.75" (32,4 cm)	


Lighted retractors attach to a fiber optic light cable with ACMI (female) connector and can be steam sterilized.


Optional quick-connect driver (NOT INCLUDED IN RETRACTOR SET) for use with the starter drill:

8248 [Fixed Driver with Zimmer Hall Quick-connect] Overall Length: 5.75" (15,6 cm) Handle Width: 4.625" (11,6 cm)









Unger Anterior Total Hip Instruments Designed by Anthony Unger, MD Universal instrument system specifically designed for Direct Anterior approach THR Dr. Unger's surgical technique available on our website. Wide Hohmann Retractor-Single Prong #3001 Retractor-**Double Prong** #3008 Narrow Hohmann Retractor #3002 Narrow Cobra Retractor Canal Finder Rasp-Straight #3003 #3004 Canal Finder Rasp-Curved #3004-01 Box Osteotome-Right Canal Finder Rasp-Curved #3005-R with Smooth Proximal #3004-02 Box Osteotome-Left #3005-L **Femoral Neck Elevator** #3006 **Soft Tissue Protector** Femoral Neck Elevator-Long Prong

#3006-01

Offset Narrow

Retractor-Right

Hohmann

#3009-R

Offset Narrow


Retractor-Left

Hohmann

#3009-L







Sinha Retractor for Acetabular Reaming

Design modification by Aiov K. Sinha, MI

Designed to retract and protect the femur while preparing the acetabulum for reaming during antero-lateral approach total hip surgery


After the femur is prepared and the broach has been placed, the Sinha retractor is placed on the infero-lateral aspect of the acetabulum with the neck of the broach projecting through the large hole in the retractor blade. This serves to displace the femur posteriorly and to help protect the greater trochanter while acetabular reaming is conducted.


PRODUCT NO

6174

Overall Length: 12.5" (31,8 cm) Blade Width: 32 mm Hole: 18 mm W x 33 mm H







Exposure of the hip joint & removal of the femoral head




Acetabular exposure, reaming and cup insertion



Table Assembly/Elevator Hook for femoral access



Femoral broaching and stem insertion





Whelan Narrow Hohmann Retractor

Designed by Edward J. Whelan, III, MD

Retractor has a large gentle right angle curve with sharp tip, for retraction of structures anterior to the acetabulum in the anterior approach to total hip

Helps allow for visibility without undue pressure or traction on the femoral nerve or vessels.

PRODUCT NO:

7116

Overall Length: 13.25" (33,7 cm) Depth from Bend: 4.5" (11,4 cm) Blade Width: 2,4 cm





APC Single Prong Hip Retractor

Used to help provide wide exposure of the acetabulum

Designed to be placed around the inferior-posterior edge of the acetabulum for wide exposure during total hip replacement. Modular weights can be used to help hold the retractor in place.

6420 [Single Prong] Overall Length: 14" (35,6 cm) Blade Width: 22 mm



Short Tip Acetabular Retractor

Designed for retraction around the acetabulum





Overall Length: 13.25" (33,7 cm) Blade Depth: 4.5" (11,4 cm) Blade Width: 1" (2,54 cm)

Modular Weights

Weights can be used to help hold the retractors in place.

PRODUCT NO'S:

3430-01 1.5 lbs. (.68 kg) **3430-02** 2.0 lbs. (.91 kg) **3430-03** 2.5 lbs. (1.13 kg)





11



O'Reilly Dual Handle Direct **Anterior Retractor**

Designed by Michael P. O'Reilly, MD

Designed for use over the anterior pelvic rim during acetabular exposure in direct anterior THA, the dual handle design allows for use in both right and left hips, as well as easy exchange of the instrument between assistants


Can be used in MIS/Direct Anterior, Total Hip Arthroplasty, Posterior/Anterolateral THA, and Hemiarthroplasty.

PRODUCT NO:

3011

Overall Length: 13.25" (33,7 cm) Blade Depth: 4.25" (10,8 cm) Blade Width: 1" (2,5 cm)







Single Prong Soft Tissue Retractors

PRODUCT NO:

6450 [Standard] Overall Length: 12.125" (30,8 cm) Blade Width: 22.3 mm

6450-03 [Standard with Short Tip] Overall Length: 11.75" (29,8 cm) Blade Width: 22.3 mm

6450-02 [Straight Tip] Overall Length: 12.125" (30,8 cm) Blade Width: 22.3 mm





McMaster Abductor Retractor

Designed to help with proximal femur exposure, helping to protect the abductors - gluteus medius and minimus - during posterior approach THA

PRODUCT NO: 6385

Overall Length: 8.75" (22,2 cm) Handle Length: 4.625" (11,7 cm) Blade Depth: 4.125" (10,8 cm) Blade Width: 1.5" (3,8 cm) Blade Curve Diameter: 1.75" (4,4 cm)







The ergonomic design allows application where soft tissue retraction is needed.

PRODUCT NO:

6384


Overall Length: 9.5" (24,1 cm) Depth: 6.5" (16,5 cm) Blade Width at Top: 1.8" (4,6 cm) Blade Width at Bottom: .8" (2 cm)



Jeffers Hip Retractor

For use during the anterior approach, this retractor is designed to help protect the TFL from laceration during acetabular preparation in addition to maximizing exposure

Used with or without a weight, it is placed over the TFL and vastus lateralis and under the femur. The broad surface helps to gently retract the TFL and vastus away from the reamer path.




Duke Classic Inferior Retractors with Extra Grip Tip

Designed by Justin Duke, MD

An inferior acetabular retractor designed for total hip arthroplasty while prepping the acetabulum





7621-01 [Left]

Overall Length: 10.25" (26 cm) Handle Length: 5" (12,7 cm) Depth: 7.5" (19,1 cm) Blade Length: 2.75" (7 cm) Blade Width: 1.125" (2,9 cm) Prong Length: 1" (2,5 cm) Prong Width: 6 mm

Prong Width: 6 mim

7621-02 [Right]
Overall Length: 10.25" (26 cm)
Handle Length: 5" (12,7 cm)
Depth: 7.5" (19,1 cm)
Blade Length: 2.75" (7 cm)
Blade Width: 1.125" (2,9 cm)
Prong Length: 1" (2,5 cm)
Prong Width: 6 mm





1.800.548.2362

Posterior Acetabular Retractor

Designed by Amal Das, MD and Brian Seng, DO

Designed for posterior acetabular retraction during anterior approach total hip replacement surgery

6224

Blade Width: 25 mm Blade Depth: 2.75" (7 cm) Overall Length: 14" (35,6 cm)



MARCH 2024 ANTERIOR HIP INSTRUMENTS 13

Cobra Retractors

A general purpose instrument for use around the femur and acetabulum

6129 [Standard with Sharp Tip] Overall Length: 12" (30,5 cm) Handle Length: 7" (17,8 cm)

Blade at Widest: 33 mm

6130 [Standard] Overall Length: 12" (30,5 cm)
Handle Length: 7" (17,8 cm) Blade at Widest: 33 mm

6130-L [Lighted Standard] Overall Length: 12" (30,5 cm) Handle Length: 7" (17,8 cm) Blade Width at Widest: 33 mm

6130-R* [OrthoLucent™ Standard] Overall Length: 12" (30,5 cm) Handle Length: 7" (17,8 cm) Blade Width at Widest: 33 mm

6130-01 [Standard with Blunt Teeth] Overall Length: 12" (30,5 cm) Handle Length: 7" (17,8 cm) Blade at Widest: 33 mm

6130-02 [Straight with Blunt Teeth] Overall Length: 12" (30,5 cm) Handle Length: 7" (17,8 cm)

Blade at Widest: 33 mm Lighted cobra retractor can also be attached to a fiber optic light cable with ACMI (female) connector and can be steam sterilized.

> New round and square tip cobra retractors with for better gripping





Narrow Cobra-style Retractor with Large Handle

Designed for use around the femur and acetabulum

Depth from handle: 7" (17,8 cm)

C1005 Overall Length: 17.5" (34,5 cm)



Jana Lighted Cobra Retractor

Designed to enhance exposure & visualization

Excellent for use in acetabular exposure and total hip replacements. Especially useful for the anterior approach. The retractor can be attached to a fiber optic light cable with ACMI (female) connector, and is steam sterilizable.

PRODUCT NO: 6119-L

Overall Length: 14.75" (37,5 cm) Blade at Widest: 33 mm





6110-02 [Double Prong – Left]

Overall Length: 15" (38 cm) **6109-L** [Single Prong – Left] Overall Length: 15" (38 cm)


6109-R [Single Prong – Right] Overall Length: 15" (38 cm)





Double Prong - Left #6110-02



















POSTERIOR APPROACH: Placed over the anterior acetabular wall for superoanterior translation of the femoral head and neck during acetabular preparation. The prong(s) pierce the capsule over the anterior wall, then the curve and "twist" of the retractor allows for gentle retraction on the femoral neck. ANTERIOR APPROACH: Placed inferior to the trans-acetabular ligament during exposure and preparation of the acetabular component. The curve and "twist" of the retractor allow for gentle retraction of the medial and inferior soft tissues and skin. Helps provide easier retraction for the assistant on the other side of the operating table.





Multi-Purpose Hip & Knee Retractors

Designed for use in both hip and knee arthroplasty procedures

During direct anterior hip arthroplasty procedures, the fin of this retractor fits the contours of the acetabular rim and retracts the anterior soft tissues, while the short length of the spike helps limit the penetration into the neurovascular zones.

In knee surgery, the retractors can be used to help protect the patellar tendon behind the fin at the lateral tibial border. Also useful as a soft-tissue and fat pad retractor during prosthesis implantation, helping to ensure a dry cancellous bed for cementation.

4554-L [Left] Overall Length: 11.25" (28,6 cm) Blade Width: 1.5" (38 mm)

4554-R [Right] Overall Length: 11.25" (28,6 cm) Blade Width: 1.5" (38 mm)





- Lateral flange protects the muscle of tensor fascia lata and soft tissues during insertion and removal of femoral broaching
- Narrow tip for deep placement posterior to the femoral neck, anterior to the greater
- Rotation of the retractor handle helps keep the instrument against the patient and out of the surgeon's line of sight

4698-L [Left] Overall Length: 9.5" (24,1 cm) Blade Width: 57 mm

4698-R [Right] Overall Length: 9.5" (24,1 cm) Blade Width: 57 mm





Modified Wide Hohmann Retractor with Taylor Tip

Anterior and posterior acetabular retractors for all approaches, including the direct anterior approach, featuring a hammer platform for insertion with a mallet

Used as an anterior femoral elevator for the direct anterior approach, and a calcar and posterior femoral retractor for the posterior approach.

3012-00 [Set - Left & Right] Also available individually:

3012-L [Left] Overall Length: 14.75" (37,5 cm) Blade Depth: 5" (12,7 cm) Blade Width: 45 mm


3012-R [Right] Overall Length: 14.75" (37,5 cm) Blade Depth: 5" (12,7 cm) Blade Width: 45 mm




16









1.800.548.2362 MARCH 2024 ANTERIOR HIP INSTRUMENTS

17

Whelan Large Anterior Hip Weitlaner Retractor with **Ergonomic Handle**


Designed for self-retaining exposure during anterior approach THA

PRODUCT NO'S:

1576-B [Blunt] Overall Length: 9" (22,9 cm) Blade Depth: 1" (2,54 cm)

1576-S [Sharp] Overall Length: 9" (22,9 cm) Blade Depth: 1" (2,54 cm)







Alvi Beckman **Self-Retaining Retractor**

Designed for direct anterior approach hip arthroplasty, the wide, blunt and curved teeth help provide for better self-retaining retraction during dissection through the superficial and deep tissue planes to expose the hip joint

Overall Length: 13" (33 cm) Length to Bend: 9.625" (24,4 cm) Depth when Full Bent: 3.125" (7,9 cm)







Self-Retaining Tension Retractor

The expandable design allows for a wide variety of blades to be used for exposure in total joint and trauma procedures








1586 Overall Length: 8.875" (22,5 cm) Maximum Width at Pegs: 8" (20,3 cm)

Wixson Anterior Suspension Hook System Designed by Richard L. Wixson, MD

Designed for use with a standard operating room table, helps to facilitate elevation of the proximal femur during direct anterior approach THR





The system consists of:

- 1) A **rotating clamp** that can be attached to the operating table side rails over the drapes.
- 2) A vertical bar that fits into the clamp and comes above the side of the table.
- 3) A horizontal attachment that fits over the vertical bar and can swing over the wound.
- 4) A threaded tightening rod that inserts through a slot in the arm of the horizontal attachment and can be used to bring up the proximal femur.
- 5) A large offset femoral hook that can be placed above the lesser trochanter and around the posterior femoral neck and trochanter base. The handle of the hook has a chain to attach to the threaded tightening rod coming through the horizontal arm.

PRODUCT NO:
6245-00 [Complete Unit]
Replacement Parts:
6245-01 [Horizontal Attachment]
6245-02 [Tightening Rod]
6245-03 [Vertical Bar]
6245-04 [T-handle Bolt]
6245-05 [Offset Femoral Hook]
9125 [Rotating Table Clamp]

Compete unit includes: Tightening rod, horizontal attachment, vertical bar, T-handle bolt, offset femoral hook, and rotating table clamp

3" Extension



Extension Set for Anterior THR Tables

Designed to add lift to the femoral hook during an anterior THR case and be able to remove without breaking the sterile field

PRODUCT NO'S: 8004-00 [Set of One Each]


Also available individually:

8004-S [Short Extension] Extension Length: 2" (5,1 cm) Overall Length: 3.625" (9,2 cm)

8004-L [Long Extension] Extension Length: 3" (7,7 cm) Overall Length: 2.6" (6,6 cm)



2" Extension #8004-S





Sarraf Coated Hip Dislocation Hook

Designed by Khaled M. Sarraf, MD

Designed to aid in dislocating a femoral stem while helping to prevent damage to the trunnion

- Coated hook end helps to prevent from marring component surfaces.
- Can also be used as a bone hook, and for femoral elevation.

PRODUCT NO:

5905

Curve Diameter: 50 mm Overall Length: 12.5" (31,8 cm) Handle Length: 4.75" (12,1 cm)





Bhargava Modular Offset Cup Liner Impactor

Designed to help impact an acetabular cup liner during minimally invasive direct anterior and MIS posterior approach THR



Interchangeal Head(s) Solo Separately



- ▶ Helps avoid edge loading and improper seating of the liner that can occur with a straight impactor
- Uses the same heads as the Innomed CupX Actetabular Cup Extraction System

PRODUCT NO:

5031 [Impactor] Overall Length: 15.85" (40,2 cm) Platform End Diameter: 1" (2,54 cm)



INDIVIDUAL INTERCHANGEABLE STEEL HEADS

5202-22 22mm

5202-26 26mm

5202-28 28mm

5202-32 32mm

5202-36 36mm

Optional Size:

5202-38 38mm





Kenerly Femoral Neck Cutting Guide

Designed by J. Lex Kenerly, III, MD

Designed for use during the anterior approach for THA to help determine the femoral neck osteotomy location, the guide is placed on the femoral neck and adjusted using the intraoperative C-arm image to visualize and compare to the pre-op templating, providing an excellent location for the initial femoral neck osteotomy








Kim Anterior Total Hip Awl

Designed by William C. Kim, MD

Designed to help avoid perforation of the femoral canal while helping to give an accurate assessment of canal orientation for trial broaching during anterior approach THA



Wertz Anterior THA Femoral Elevator

esigned by Michael P. Wertz, MD

Helps deliver the femur out of the incision during anterior total hip arthroplasty


Inserted into the femoral canal for elevation, the knurled underside helps to reduce the chance of slippage.




Knurled to help reduce the chance of slippage

PRODUCT NO: 6148 Overall Length: 12.625" (32,1 cm) Blade Length: 3" (7,6 cm)







Anterior Hip Referencing Rod Assembly Designed by Scott A. Foster, MD

For use during intraoperative imaging while performing anterior hip arthroplasty to help determine implant fit, position, alignment and recreation of leg length and offset using the contralateral hip for reference



PRODUCT NO'S:

2674-00 [Complete Assembly] Overall Length: 27.75" (70,5 cm) Rod Diameter: .25" (6,3 mm)

2674-A [Top Assembly] Overall Length: 16.75" (42,6 cm) Rod Diameter: .25" (6,3 mm)

2674-B [Bottom Assembly] Overall Length: 10.5" (26,7 cm) Rod Diameter: .25" (6,3 mm)



Designed to be overlayed on the pelvis during the imaging part of the procedure to compare leg length and offset to the contra lateral hip using the trans teardrop or trans ischial line as reference


Extended length allows the surgeons hands to remain outside of the imaging beam

Notched in increments of 1 cm for ease of reference

Features a threaded coupler midshaft to break down for processing and storage, allowing the unit to fit into a traditional tray











Offset Femoral Rasp Designed by Richard Pelliccio

The deep offset design allows the surgeon to line up with canal entry and the tip angled slightly upwards to help prevent femoral protrusion



PRODUCT NO.

Overall Length: 13.67" (34,7 cm) Handle Length: 5.88" (15 cm) Rasp Offset: 1.5" (3,8 cm)







DAA Canal Finder Rasp

Designed to help begin preparation of the femoral canal prior to stem broaching — features a large handle with a striking plate end

PRODUCT NO:

C1026

Overall Length: 13.125" (33,4 cm) Handle Length: 6" (15,2 cm) Maximum Shaft Diameter: 13 mm



Curved Canal Rasps

Design modification by Michael Messieh, MD of original design by Anthony Unger MD

Designed for preparation of the femoral canal for insertion of a cemented or cementless hip stem, the mutiple diameters serve to prepare the femoral canal after the initial 5 mm is used to find the curvature of the canal



PRODUCT NO'S:

3004-01-08 [8 mm] Overall Length: 11" (27,9 cm) Handle Length: 5" (12,7 cm)

3004-01-10 [10 mm] Overall Length: 11" (27,9 cm) Handle Length: 5" (12,7 cm)

3004-01-12 [12 mm] Overall Length: 11" (27,9 cm) Handle Length: 5" (12,7 cm)





Unger Canal Finder Rasps

Designed by Anthony Unger, M

PRODUCT NO'S:

3004 [Canal Finder Rasp–Straight] Overall Length: 11" (27,9 cm) Handle Length: 5" (12,7 cm)

3004-01 [Canal Finder Rasp-Curved] Overall Length: 11" (27,9 cm) Handle Length: 5" (12,7 cm)

3004-02 [Canal Finder Rasp-Curved with Smooth Proximal]

Overall Length: 11" (27,9 cm)

Handle Length: 5" (12,7 cm)









T-Handle Femoral Canal Finders

Designed to sound the femoral canal prior to stem broaching, especially useful to help start the broach path during the direct anterior approach



Rockowitz T-Handle Femoral Canal Finder Rasp

PRODUCT NO: 4990

Overall Length: 9" (22,9 cm) Curved Rasp Portion: 4" (10,2 cm) Designed by Neal L. Rockowitz, MD

T-Handle Femoral Canal Finder - Smooth

4990-03 [Smooth] Overall Length: 9.385" (24,4 cm)


Modified T-Handle Femoral Canal Finder Rasp

PRODUCT NO:

4989

Overall Length: 9" (22,9 cm) Curved Rasp Portion: 4" (10,2 cm)





4189-00 [Set of 5]

Also available individually: **4189-14** [14 mm] Overall Length: 14.25" (36,2 cm)

Handle Length: 3.5" (8,9 cm)

4189-12 [12 mm] Overall Length: 14.25" (36,2 cm) Handle Length: 3.5" (8,9 cm)

4189-10 [10 mm] Overall Length: 14.25" (36,2 cm) Handle Length: 3.5" (8,9 cm) **4189-08** [8 mm]

Overall Length: 14.25" (36,2 cm) Handle Length: 3.5" (8,9 cm)

4189-06 [6 mm] Overall Length: 14.25" (36,2 cm) Handle Length: 3.5" (8,9 cm)

Particularly useful for the anterior approach to the hip. Helps identify intraoperative occult fractures. Properly identifying the medullary canal before broaching helps minimize possible intraoperative fractures.

25



O'Reilly Femoral Head Extractor

Designed by Michael P. O'Reilly, MD Small version designed modification by Tarum Bhargava, MD

Designed to help remove the femoral head during THA, MIS Direct Anterior THA, and hip fracture surgery/hemiarthroplasty


The perpendicular osteotome blades help provide purchase in osteoporotic bone, while the central osteotome provides a visual estimate of the instrument's depth of penetration to avoid acetabular injury with use during hemiarthroplasty.

The handle helps obtain rotational torque needed to rotate and dislocate the femoral head in direct anterior hip arthroplasty.

3675 [Large] Overall Length: 9.5" (24,1 cm) Hammer Platform Diameter: 1.125" (2,9 cm) Width at End: 1.1" (2,8 cm)

3674 [Small] Overall Length: 9.5" (24,1 cm) Hammer Platform Diameter: 1.125" (2,9 cm) Width at End: .75" (1,9 cm)





Rivero Extra Grip Femoral Head Removers


Used to remove femoral heads during total hip arthroplasty or fracture surgery

Quick-connect version for use with a driver.

3706 [Zimmer Hall Quick-connect] Overall Length: 8.5" (21,6 cm)

3707 [T-Handle] Overall Length: 8.75" (22,2 cm)





Femoral Head Removers

Used to remove a femoral head during total hip arthroplasty or fracture surgery

Quick-connect version for use with a driver.

3688 [Zimmer Hall Quick-connect] Overall Length: 8.5" (21,6 cm)

3690 [T-Handle]

Overall Length: 8.75" (22,2 cm)







Verner Corkscrew Femoral Head Remover

Designed by James J. Verner, MD & Andy Lytle

Used to remove the femoral head during total hip arthroplasty or fracture surgery

Designed so the threads engage the head under power and draws the corkscrew in until the head begins to turn.


The extra long shaft keeps the power reamer out of the operative site for better visualization and improves the lever arm when pivoting the head out of the acetabulum. The grip ring allows the surgeon to pull head out of acetabulum and soft tissue envelope when disengaged from the driver.

Features a Zimmer Hall Quick-connect for use with a driver.









Schantz Pin with Zimmer Hall Quick-connect

Designed by Keith Berend, MD

Used to help remove a femoral head during total hip surgery

PRODUCT NO:

3687

Overall Length: 8.625" (21,9 cm) Shaft Length: 7.375" (18,7 cm) Thread Length: 2.5" (6,4 cm) Diameter: 4.5 mm





Partial threaded pin can be used to help remove a femoral head during total hip surgery. Especially helpful in minimally invasive total hip surgery where access to the femoral head is limited. Connects with a Zimmer Hall Quick-connect.



Beicker **Hammerhead Rongeur**

Designed by Clint Beicker, MD

Designed to help remove osteophytes from around the acetabulum and glenoid

PRODUCT NO:

1775-05

Overall Length: 8" (20,3 cm) Jaw Bite: 15 mm x 7 mm

MADE EXCLUSIVELY FOR INNOMED IN GERMANY

Modified Rongeur with Pistol Grip Handle

Design modification by Morteza Meftah, MD and Ira Kirschenbaum, MD, of an original design by James T. Mazzara, MD.

A thin top cutter and deep lower cutter, with edges that are rounded off, allows the top cutter to slide into a tight space—specifically the acetabulum or the patella—while the pistol grip helps lessen hand fatigue and slippage, and allows for better visualization



Shark Tooth Graspers Designed by Luis Ulloa

Sharp teeth help grasp onto tissue and bone

Helpful in removing the labrum, and osteophytes around the acetabulum and around the glenoid. Also helps to remove meniscus, osteophytes and loose bodies. Helps facilitate working through a small incision without disrupting vision.

9" Small Grip #1799-SG



1799-SG [9" Small Grip] Jaw Size: 6 mm x 10 mm Overall Length: 12" (30,5 cm) Shaft Length: 9" (22,9 cm)



Standard Handle

1797 [5" Standard] Jaw Size: 6 mm x 10 mm Overall Length: 8" (20,3 cm) Shaft Length: 5" (12,7 cm)

1798* [7" Standard] Jaw Size: 6 mm x 10 mm Overall Length: 10" (25,4 cm) Shaft Length: 7" (17,8 cm)

1799* [9" Standard] Jaw Size: 6 mm x 10 mm Overall Length: 12" (30,5 cm) Shaft Length: 9" (22,9 cm)

1796 [12" Standard] Jaw Size: 6 mm x 10 mm Overall Length: 15" (38,1 cm) Shaft Length: 12" (30,5 cm)





Designed with the grip closer

to help reduce hand fatigue

together for easier gripping and

7" Small Grip #1798-SG

9" Standard Grip #1799

7" Standard Grip #1798











Hannum Tissue Grasper

Teeth in jaw firmly holds bone and tissue

Non-locking design can be easily gripped while allowing greater pressure to be applied.

Used for dissection (to preserve)/or removal of the anterior capsule, removal of the labrum, or other soft tissue around the acetabulum prior to cup implantation.

Also used to release the capsule to expose the femur for placement of the femoral stem. Long, low profile helps facilitate working through a small incision without disrupting vision.

Three jaw sizes: short for holding bone, medium for smaller bones, and long for tissue.





Hannum Modified Angled Grasper

Heavy duty large bone grasper designed to help trim acetabular osteophytes angled to ergonomically fit around the rim via the direct anterior approach

PRODUCT NO: 1775-04

Overall Length: 8.5" (21,6 cm) law Width: 11 mm Jaw Bite Internal: 9 mm x 21 mm





Pistol Grip handle lessens hand fatigue and slippage, and allows for better visualization

PRODUCT NO:

1768-02

Jaw Bite: 8 x 16 mm Overall Length: 12.5" (31,8 cm) Shaft-to-End Length: 6" (15,2 cm)







Bhargava Anterior Hip Labral Grasper

Designed to help remove the labrum and soft tissues in anterior total hip surgery, and very useful in helping to remove posterior osteophytes in knee surgery




1776

Overall Length: 12.5" (31,8 cm) Shaft Length: 9" (22,9 cm) Shaft Width: 7 mm Jaw Width at End: 4 mm









The bayonet curettes help allow for proper lateralization and seating of the broach



5190-00 [Set of Three] Set Includes / Available Individually:

5190-L [Angled Left] Overall Length: 16.875" (42,9 cm) Shaft Length: 9" (22,9 cm) Shaft Length Before Bend: 5.25" (13,3 cm) Bend Offset: .5" (1,3 cm) Curette Cup Angle: 33° Curette Cup Inner Dimen.: 6 mm X 8,7 mm

5190-S [Straight] Overall Length: 17" (43,2 cm) Handle Length: 9" (22,9 cm) Shaft Length Before Bend: 5.25" (13,3 cm) Bend Offset: .5" (1,3 cm) Curette Cup Angle: 33° Curette Cup Inner Dimen.: 6 mm X 8,7 mm

5190-R [Angled Right] Overall Length: 16.875" (42,9 cm) Handle Length: 9" (22,9 cm) Shaft Length Before Bend: 5.25" (13,3 cm) Bend Offset: 5" (1,3 cm) Curette Cup Angle: 33° Curette Cup Inner Dimen.: 6 mm X 8,7 mm

Sarraf Toothed Curettes

Designed by Khaled Sarraf, MD



5174-00 [Set]

Set Includes / Available Individually

5174-F [Forward Toothed Curette] Overall Length: 11.5" (29,2 cm)
Handle Length: 5.5" (14 cm)
Curette Cup: 8 mm X 12 mm
Angled Down: 30°

5174-R [Reverse Toothed Curette] Overall Length: 11.5" (29,2 cm) Handle Length: 5.5" (14 cm) Curette Cup : 8 mm X 12 mm Angled Up: 30°

5174-S [Straight Toothed Curette] Overall Length: 11.5" (29,2 cm) Handle Length: 5.5" (14 cm) Curette Cup: 8 mm X 12 mm





5171

Overall Length: 11.75" (29,8 cm) Handle Length: 5.5" (14 cm) Cup Size: 7 mm X 12 mm



Chandran Bent Serrated Curette



Serrated design allows for easier removal of cancellous bone in the proximal femur in total joint arthroplasty

Ultra hard titanium nitride coating helps to extend life by increasing surface hardness, prolonging sharpness, and resisting chemicals and corrosion.



Das Anterior Hip Bolster Assembly

Design modification by Amal Das, MD of original design by Benjamin M. Frye, MD

Designed to help provide counter resistance on the contralateral hip when reaming and implant insertion during direct anterior arthroplasty

PRODUCT NO'S:
4166-00 [Das Anterior Hip Bolster Assembly]
Set Includes / Available Individually:
4166-01 [Das Anterior Hip Bolster Support]
4166-02 [Das Anterior Hip Bolster Rod]
Set Includes / Replacement Parts:
2595 [Table Clamp]
4150-PD2 [Positioning Pads – Set of 2]



4150-PS [Post Screw]



Direct Anterior Total Hip Arthroplasty Leg Positioner Assembly Designed by Benjamin M. Frye, MD

- Allows one assistant to secure the leg for femoral preparation
- Attaches directly to a standard operating table
- Allows easy assessment of hip stability and leg length discrepancy
- Calibrations on the rod help to allow for precise and reproducible placement of the leg positioner according to surgeon preference







Measurements in this Catalog

All effort has been made to ensure the accuracy of the measurements listed in this catalog, however, some small differences may exist between actual and listed measurements.

Measurements of **overall length** are the linear distance from one end of the product to the furthest opposite end, as shown in these examples:

Measurements of **blade width** are the linear distance from one side of the product to the opposite side, typically at the widest point, as shown in this example:



PRSRT_STD U.S. POSTAGE PAID

BOURBON, IN PERMIT NO 29

FREE TRIAL on most instruments

Instruments are available for a no-charge two-week evaluation — includes FREE UPS Ground Shipping*

*When shipped to a hospital or medical center; additional charge applies for expedited shipping.
Free trial offer excludes implant extraction instruments, which are available as rentals. There is a pad replacement charge with the hip positioners.

Direct Anterior Approach Instrument Set

A General Use Set of Innomed Instruments for Direct Anterior Approach Total Hip Arthroplasty



Set #6500-01 Also Available Individually

Set includes (2) #6120 and (1) of each of the other instruments shown below

See page 2 for individual product dimensions





INNOMED, INC

Estus Drive innah, GA 31404

Tel 912.236.0000 Fax 912.236.7766 innomed.net info@innomed.net

Innomed-Europe LLC Tel 0041 (0) 41 740 67 74

www.innomed-europe.com orders@innomed-europe.com

Innomed-Europe GmbH

Inition Guzulope Gillon c/o Emons Logistik GmbH In Rammelswiesen 9 D-78056 Villingen-Schwenningen, Germany Tel 0049 (0) 7720 46110 60

www.innomed-europe.com orders@innomed-europe.com



